

DECLARATIONS OF CONFORMITY

SIEMENS VDO
AUTOMOTIVE

SiemensVDO Automotive AG, #F.02, Box 10 09 43, D-93009 Regensburg

Dagmar Kolar
SV CTS R&D EMC Laboratory
Tel. +48(0)941790-136699
Fax +48(0)941790-136699
E-Mail dagmar.kolar@siemens.com
Internet www.siemensvdo.de
Our Ref. Doc. SWK49096.doc
Date. 03/08/2006

Dagmar Kolar
SV CTS R&D EMC Laboratory
Tel. +48(0)941790-136699
Fax +48(0)941790-136699
E-Mail dagmar.kolar@siemens.com
Internet www.siemensvdo.de
Our Ref. Doc. SWK49096.doc
Date. 08/11/2006

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Siemens VDO Automotive AG
Body & Chassis Electronics

Address: Dep. SV C BC P2 RF TG
Siemensstrasse 12
D-93009 Regensburg
Germany

Product type designation: SWK4 9096

Intended use: Radio frequency receiver used in vehicle locking/unlocking systems
The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

Health and safety pursuant to §3.1. a: Applied standard(s): EN 60950:2000

Electromagnetic compatibility pursuant to § 3.1. b: Applied standard(s): EN 301 489-1, -3; V1, A.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2: Applied standard(s): EN 300 220-1; V1, 3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG
Regensburg, 2005-08-03

Jean-Francois Tarabilla
Jean-Francois Tarabilla
Executive Vice President
Body and Chassis Electronics Operations
Wireless Products and Modules

SiemensVDO Automotive AG
Body & Chassis Electronics
Helmuth Mätzold
Klaus Müller
Postal Address: SiemensVDO Automotive AG
P.O. Box 10 09 43
D-93009 Regensburg

SiemensVDO Automotive AG, Chairman of the Supervisory Board: Edward G. Scheidt, Managing Director: Klaus Eggler,
General Headquarters: Wilhelm-Lübber-Platz/Officer-Mainhof, Garmisch-Partenkirchen, 988 12007

SIEMENS VDO
AUTOMOTIVE

SiemensVDO Automotive AG, #F.02, Box 10 09 43, D-93009 Regensburg

Dagmar Kolar
SV CTS R&D EMC Laboratory
Tel. +48(0)941790-136699
Fax +48(0)941790-136699
E-Mail dagmar.kolar@siemens.com
Internet www.siemensvdo.de
Our Ref. Doc. SWK49096.doc
Date. 03/08/2006

Dagmar Kolar
SV CTS R&D EMC Laboratory
Tel. +48(0)941790-136699
Fax +48(0)941790-136699
E-Mail dagmar.kolar@siemens.com
Internet www.siemensvdo.de
Our Ref. Doc. SWK49096.doc
Date. 08/11/2006

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Siemens VDO Automotive AG
Body & Chassis Electronics

Address: Siemensstrasse 12
D-93009 Regensburg
Germany

Product type designation: S12Z780002

Intended use: Radio frequency transmitter used Tire Pressure Monitoring system
The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

Health and safety pursuant to §3.1. a: Applied standard(s): EN 60950: 2000

Electromagnetic compatibility pursuant to § 3.1. b: Applied standard(s): EN 301 489 -1, -3; V1, A.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2: Applied standard(s): EN 300 220 -1; V1, 3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG
Regensburg, 2005-11-09

Martin Fischer
Jean-Francois Tarabilla
Executive Vice President
Body and Chassis Electronics Operations
Wireless Products and Modules

SiemensVDO Automotive AG
Body & Chassis Electronics
Helmuth Mätzold
Klaus Müller
Postal Address: SiemensVDO Automotive AG
P.O. Box 10 09 43
D-93009 Regensburg

SiemensVDO Automotive AG, Chairman of the Supervisory Board: Edward G. Scheidt, Managing Director: Klaus Eggler,
General Headquarters: Wilhelm-Lübber-Platz/Officer-Mainhof, Garmisch-Partenkirchen, 988 12007

Lear Corporation
Electronics Systems Division
21557 Telegraph Road
Farmers Branch, TX 75042-1218
USA
Phone (214) 447-1599



RKE Receiver

Land Rover, Range Rover, Jaguar

FCC ID: KOBJLR09A
IC: 3521-JLR09A
Model #: AH42-15K602-A

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The term "IC," before the radio certification number only signifies that Industry Canada technical specifications were met.

Passive Entry / Passive Start Module

Land Rover, Range Rover, Jaguar

FCC ID: KOBJBG10A
IC: 3521-JBG10A
Model #: AH42-19H440 (PEPS)
Model #: AH42-19H440 (Passive Start ONLY)

FCC ID: KOBJBG10B

IC: 3521-JBG10B
Model #: AH22-19H440 (PEPS)
Model #: AH42-19H440 (Passive Start ONLY)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The term "IC," before the radio certification number only signifies that Industry Canada technical specifications were met.

Lear Corporation
Electronics Systems Division
21557 Telegraph Road
Farmers Branch, TX 75042-1218
USA
Phone (214) 447-1599



Date: February 6, 2009

INFORMATION TO BE INCLUDED IN THE END USER'S MANUAL

The following information must be included in the end product user's manual to ensure continued FCC and Industry Canada regulatory compliance. The ID numbers must be included in the manual if the device label is not readily accessible to the end user. The compliance paragraphs below must be included in the user's manual.

The following user's manual statements are provided by Lear Corporation to Jaguar Land Rover electronically after certification.

Key fobs

Land Rover, Range Rover,

FCC ID: KOBJTF10A (Range Rover, Land Rover)
FCC ID: KOBJTF10B (Jaguar)
IC: 3521-A-JTF10A (Range Rover, Land Rover)
IC: 3521-A-JTF10B (Jaguar)
Model #: AH42-15K601A (Land Rover)
Model #: AH42-15K601A (Land Rover)
Model #: AW63-15K601A (Jaguar)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The term "IC," before the radio certification number only signifies that Industry Canada technical specifications were met.

EC Declaration of Conformity

EC Directive: 1999/5/EC
Manufacturer: Lear Corporation
Type Designation / FCC ID: KOB1BG10B
Model Numbers: SE0770237, 19H440, AH22-19H440, AH42-19H440-AD, AH42-19H440-AE
Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator
Trademarks: Land Rover / Range Rover / Jaguar
Applied Standards: European Commission Directive 2006/28/EC
ETSI EN 60950
ETSI EN 300 330
CEPT/ERC/REC 70-03
ASINZS 4288
FCC Regulations 47 CFR Part 15
Responsible Person: Kevin Cotton
Lear Corporation
21557 Telegraph Road
Southfield, Michigan 48033
United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC


Signed: 
Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
Manufacturer: Lear Corporation
Type Designation / FCC ID: KOB1BG10A
Model Numbers: SE0770237, 19H440, AH22-19H440-AC, AH42-19H440-AD, AH22-19H440, AH42-19H440
Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator
Trademarks: Land Rover / Range Rover / Jaguar
Applied Standards: European Commission Directive 2006/28/EC
ETSI EN 60950
ETSI EN 300 330
CEPT/ERC/REC 70-03
ASINZS 4288
FCC Regulations 47 CFR Part 15
Responsible Person: Kevin Cotton
Lear Corporation
21557 Telegraph Road
Southfield, Michigan 48033
United States of America

Hereby, Lear Corporation declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC

Signed: 
Kevin Cotton, Lear Corporation

Date: 27 March 2009

SJ1289

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation: SE0760127
 Model Numbers: SE0760127, 19K602, AH42-19K602-B, AH42-19K602-BC
 Description / Intended Use: RF Receiver (RFR), used in passive entry and passive start, remote keyless entry, and tire pressure monitoring systems
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 60950
 ETSI EN 300 220
 CEPT/ETSI/REC 70-03
 AS/NZS 4288
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: 
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation: 19K601
 Model Numbers: SE0950127, SE0950127, 19K601-BB, AH42-19K601-BB, AH22-19K601B, AH42-19K601B, AH42-19K601-BC, AH22-19K601-BC
 Description / Intended Use: Passive Key (PK) / Customer Identification Device (CID), passive keyless entry system keyfob
 Trademarks: Land Rover / Range Rover
 Applied Standards: CEPT/ETSI/REC 70-03
 ETSI EN 60950
 ETSI EN 300 220
 ETSI EN 301 489
 IEC EN 60950
 AS/NZS 4288
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of Directive 1999/5/EC, on the approximation of the laws of the member states relating to Directive 1999/5/EC.

Signed: 
 Kevin Cotton, Lear Corporation

Date: 26 March 2009



快特電波股份有限公司

低功率射頻電機型式認證證明

一、申請者：Lear Corporation

二、製造廠商：Lear Corporation

三、器材名稱：Range Rover / 5E0B60227

四、廠牌型號：Range Rover / 5E0B60227

五、發射功率（電場強度）：84.195dBuV/m(Peak)
315MHz

六、工作頻率：

98年 06月 02日

CCAH09LP0550T5



七、發證日期：98年 06月 02日

八、審驗合格標識式樣：

說明：

- 請依上列標識式樣自製標識，標貼或印鑄於器材本體明顯處，始得販賣或公開陳列。
- 標識式樣經合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電力者，除依電信法規定處罰外，檢控機關(構)並得停止其型式認證證明或型式認證標識。
- 違章廠商應保留送審樣品至日後核對。
- 本型式認證證明及其合格標識使用權專屬取得本證明者，本證明持有者檢附同意書報請國家通訊傳播委員會備查後，得授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002.3.4.2節之規定。
- 本廠認證標識經國家通訊傳播委員會審定，核發本型式認證證明。
- 本器材所使用固定式或機櫃牌型號如下：
Lear Corporation / N/A



快特電波股份有限公司

低功率射頻電機型式認證證明

一、申請者：Lear Corporation

二、製造廠商：Lear Corporation

三、器材名稱：RFA (Passive Start)

四、廠牌型號：LEAR / 5E0770337

五、發射功率（電場強度）：125KHz; 61.5dBuV/m(Average)
125KHz

六、工作頻率：

98年 06月 02日

CCAH09LP0550T1



七、發證日期：98年 06月 02日

八、審驗合格標識式樣：

說明：

- 請依上列標識式樣自製標識，標貼或印鑄於器材本體明顯處，始得販賣或公開陳列。
- 標識式樣經合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電力者，除依電信法規定處罰外，檢控機關(構)並得停止其型式認證證明或型式認證標識。
- 違章廠商應保留送審樣品至日後核對。
- 本型式認證證明及其合格標識使用權專屬取得本證明者，本證明持有者檢附同意書報請國家通訊傳播委員會備查後，得授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002.2.8節之規定。
- 本廠認證標識經國家通訊傳播委員會審定，核發本型式認證證明。
- 本器材所使用固定式或機櫃牌型號如下：
Lear Corporation / N/A

QuietTek

快特電波股份有限公司 低功率射頻電機型式認證證明

一、申請者：Lear Corporation
Lear Corporation
二、製造廠商：REAR (Passive Start & Start Module)
三、器材名稱：LEAK / 5E0770237
四、器材型號：
五、發射功率 (電場強度)：125KHz; 63.30dBuV/m(Average)
125KHz
六、工作頻率：

七、發證日期：98年06月02日
八、審驗合格標識式樣：

說明：

- 請依下列標識式樣自製標識，標識或印鑄於器材本體明顯處，如係散賣或公開陳列。
- 標識式樣應包含除之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，依電信法及電波法罰外，除應撤銷(吊)並停止其型式認證證明或型式認證標識。
- 違章廠商應自違章標品銷日後後註銷。
- 本型式認證證明及其合格標識僅供申請者專用，如持本證明者，本證明持有入檢附同意書報請國家通訊傳播委員會備查後，再授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002.2.2節之規定。
- 本廠設機係由國家通訊傳播委員會審定，核發本型式認證證明。
- 本器材所使用之型式及標識牌型號如下：
Lear Corporation / N/A

QuietTek

快特電波股份有限公司 低功率射頻電機型式認證證明

一、申請者：Lear Corporation
Lear Corporation
二、製造廠商：Range Rover FOB
Range Rover / 5E0B50227
三、器材名稱：樂勝/型號：
四、器材型號：
五、發射功率 (電場強度)：315MHz; 84.195dBuV/m(Peak)
315MHz
六、工作頻率：

七、發證日期：98年06月02日
八、審驗合格標識式樣：

說明：

- 請依下列標識式樣自製標識，標識或印鑄於器材本體明顯處，如係散賣或公開陳列。
- 標識式樣應包含除之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，依電信法及電波法罰外，除應撤銷(吊)並停止其型式認證證明或型式認證標識。
- 違章廠商應自違章標品銷日後後註銷。
- 本型式認證證明及其合格標識僅供申請者專用，如持本證明者，本證明持有入檢附同意書報請國家通訊傳播委員會備查後，再授權他人於同廠牌同型號之器材，使用其合格標識。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002.3.4.2節之規定。
- 本廠設機係由國家通訊傳播委員會審定，核發本型式認證證明。
- 本器材所使用之型式及標識牌型號如下：
Lear Corporation / N/A



Continental Automotive GmbH - Postfach 100 901 - 93026 Regensburg

Kolke Diagneur
AOL REG 42
Phone +49 (0)41 790-6099
Fax +49 (0)41 790-136699
diagneur.kolke@continental-corporation.com

Date: July 29, 2008
Your message dated: [blank]
Our Reference: [blank]
Your reference: [blank]

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Manufacturer: Continental Automotive GmbH
Address: Siemensstrasse 12
D-93055 Regensburg
Germany
Product type designation: S180 052 020 A
Intended use: Tire Pressure System

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

- Health and safety pursuant to §3.1.a:
Applied standard(s): EN 60950-1; 2006
- Electromagnetic compatibility pursuant to § 3.1.b:
Applied standard(s): EN 301 489 -1; V1.6.1 (2005-09)
EN 301 489 -3; V1.4.1 (2002-08)
- Efficient use of spectrum pursuant to § 3.2:
Applied standard(s): EN 300 220 -1; V2.1.1 (2006-04)
EN 300 220 -2; V2.1.1 (2006-04)

The following marking applies to the above mentioned product:



Continental Automotive GmbH
Regensburg, 2008-07-29

low
Andreas Wolf
Executive Vice President
Body & Security

J.V. Poll
Norbert Müller
Director Product Group 3
Body & Security

Continental Automotive GmbH
Postfach 100 901
93026 Regensburg
Phone +49 (0) 41 79 0-6
Fax +49 (0) 41 79 0-136699
www.continental-corporation.com

Registered Office:
Continental Automotive
Postfach 100 901
93026 Regensburg
Phone +49 (0) 41 79 0-6
Fax +49 (0) 41 79 0-136699
www.continental-corporation.com



Label to be used on the following products only:

- citizen band radio equipment
- cellular equipment
- trunk radio equipment
- spread spectrum devices
- leased channel radio equipment
- cordless telephone
- wireless security devices
- wireless microphone
- radio-control equipment
- medical & biology telemetry equipment

A

- ABS (Anti-lock braking system) 70
 - warning lamp 44, 70
- ACC (Adaptive cruise control) 80
 - advanced emergency brake assist 84
 - automatic low speed switch off 82
 - automatic switch off 82
 - detection beam 83
 - driving hints 82
 - follow mode
 - activating 80
 - changing the gap 81
 - overriding 82
 - resuming 82
 - setting the gap 80
 - forward alert 84
 - warning lamp 45, 84
 - malfunction 83
 - overriding the speed 82
 - warning lamp 45
- Accessories 146
- Active differential control (E-diff) 68
- Adaptive dynamics 68
- Adaptive front lighting 29
 - warning lamp 44
- Adjusting the headlamps 30
- Advanced emergency brake assist 84
- Air conditioning
 - front 53
 - rear 56
- Air distribution
 - front 53
 - rear 56
- Air quality sensor 54
- Air recirculation 53
- Airbags 25
 - cleaning 154
 - components 26
 - deployment 27
 - labels 25
 - maintenance 146
 - operation 26
 - service information 27
 - warning lamp 27, 45
- Alarm
 - arming 9
 - confirmation 9
 - automatic arming 11
 - automatic re-arm 11
 - battery-backed sounder 10
 - deactivating when triggered 11
 - disarming 11
 - full arming 10
 - partial arming 10
 - passive arming 11
 - perimeter 10
 - sensor faults 11
 - tilt sensor 11
- Ambience lighting 51
- Anchor points 60
- Anti-lock brakes
 - warning lamp 44
- ASL (Automatic speed limiter) 85
 - resuming 85
 - setting a limit 85
 - suspending 85
 - warning lamp 45, 85
- Audible warnings 46

Index

Audio

balance	87
Bluetooth	95
CD	101
CD controls	102
CD eject	86
CD load	86
DAB radio	93
fade	87
iPod	95
mode button	86
overview	
controls	86
portable audio	95
seek up/down	86
settings	87
television controls	104
tone	87
USB devices	95
volume control	86
Auto climate	
front	53
rear	56
Auto high beam	29
Autolamps	28
windscreen wiper detection	29
Automatic speed limiter	85
warning lamp	45, 85
Automatic transmission	65
JaguarDrive selector	66
limp-home mode	66
manual mode	66
Auxiliary power socket	62

B

Battery	167
battery monitoring system (BMS)	168
care	167
charging	169
disconnecting booster cables	168
jump starting	168
replacement	169
safety	167
smart key battery replacement	8
using booster cables	168
warning symbols	167
Battery-backed sounder	10
Beltminder	20
warning lamp	44
Blind spot monitor	38
sensor blockage	39
system fault	39
Blower control	
front	53
rear	56
Bluetooth	116
audio devices	95
compatibility	117
connecting a phone	118
connecting an audio device	98, 99
pairing a phone	118
pairing an audio device	98, 99
Bonnet	
closing	148
opening	148
underbonnet cleaning	152
Booster cables	168
Booster cushions	23
Boot	59
opening	4
Brake fluid	
topping up	159

- Brakes 70
 - ABS warning lamp 44, 70
 - EBA (Emergency brake assist) 70
 - EBD (Electronic Brake force Distribution) 70
 - EPB (electric parking brake) 71
 - warning lamp 43
 - fluid
 - level check 157
 - reservoir 149
 - specification 159
 - topping up 159
 - parking brake warning lamp 43
 - pedal travel (China only) 165
 - warning lamp 43, 70
 - Breakdown recovery 182
 - Breaking-in
 - engine oil consumption 156
 - Build date plate 185
 - Bulbs
 - replacement
 - headlamp 150
 - high-level brake lamp 150
 - licence plate lamp 150
 - rear lamp 150
 - xenon lamp 149
 - specification 164
- C**
- Camera 77
 - Car wash 151
 - Carrying luggage 59
 - CD 101
 - controls 102
 - eject 86
 - load 86
 - loading 101
 - MP3 playback 101
 - playback 102
 - repeat 102
 - shuffle 102
 - skip/scan 102
 - touch screen operation 102
 - track list 102
 - virtual player 101
 - virtual store 102
 - Changing a wheel 179
 - Child locks 17
 - Child seats 17, 21
 - anchor points 23
 - booster cushions 23
 - check list 22
 - Isofix anchor points 23
 - Isofix restraints 17
 - positioning 22
 - safety 22
 - tether anchorage points 23
 - tether anchorages 17
 - tether straps 23

Index

- Cleaning
 - airbag module covers 154
 - automatic car wash 152
 - carpets 154
 - cloth and fabric 153
 - exterior 151
 - fascia controls 153
 - glass surfaces 152
 - instruments 153
 - interior 152
 - leather 153
 - mats 154
 - paintwork 152
 - polishing 152
 - rear screen 152
 - removing grease and tar 152
 - seat belts 154
 - stain removal 153
 - sunroof wind deflector 152
 - touch screen 153
 - underbonnet 152
 - wheels 151
 - Climate control
 - air quality sensor 54
 - auto mode 55
 - climate seats 57
 - controls overview
 - front 53
 - rear 56
 - heated seats 57
 - recirculation 54
 - seat menu button 57
 - temperature control 55
 - ventilated seats 57
 - Climate seats 57
 - Clock 51
 - CO² emissions 144
 - Compressor 135
 - Condensation - lamps 30
 - Conformity 186
 - Connecting a phone
 - via the mobile phone 118
 - via the touch screen 118
 - Convenience mode 7
 - Coolant check 156
 - Cornering lamps 29
 - Courtesy lighting 31
 - Cruise control 78
 - ACC forward alert warning lamp 45
 - ACC warning lamp 45
 - auto switch off 79
 - cancelling 78
 - changing the speed 78
 - resuming the speed 78
 - setting the speed 78
 - Cubby box 62
 - Cup holders 62
- ## D
- DAB
 - announcements 93
 - autotune 93
 - channel information 93
 - channel list 93
 - channel up/down 93
 - controls 93
 - ensembles 94
 - radio 93
 - reception 94
 - settings 93
 - station presets 93
 - subchannels 93
 - text 93
 - touch screen operation 93
 - wave band selection 93
 - Data recording 183
 - Daylight running lamps 28
 - Deadlocks 9
 - Declarations of conformity 186
 - Defrost mode 53

- Diesel
 - fuel quality 141
 - misfuel protection device 142
 - particulate filter 147
 - regeneration procedure 147
 - running out of fuel 141
 - sulphur content 141
 - Digital radio 93
 - announcements 93
 - autotune 93
 - channel information 93
 - channel list 93
 - channel up/down 93
 - controls 93
 - settings 93
 - station presets 93
 - subchannels 93
 - text 93
 - touch screen operation 93
 - wave band selection 93
 - Dimensions 163
 - brake pedal travel (China only) 165
 - wheel alignment data (China only) 165
 - Dipped beam 28
 - Direction indicators
 - operation 28
 - warning lamps 45
 - Disability modifications 146
 - Disarming the alarm
 - deactivating the alarm when triggered 11
 - Display icons 51
 - Door locks 9
 - Door mirrors 36
 - Door stowage 62
 - Double locking 9
 - DPF (diesel particulate filter) 147
 - regeneration procedure 147
 - Drive-away locking 7
 - Driving
 - severe conditions 147
 - Driving after a collision
 - before starting or driving 183
 - DSC (dynamic stability control)
 - adaptive dynamics 68
 - driving scenarios 69
 - dynamic mode 67
 - switching between DSC and tracDSC 68
 - switching off 68
 - switching on 68
 - tracDSC 67
 - warning lamps 68
 - active 45
 - off 45
 - winter mode 67
 - Dual view 108
 - controls 108
 - DVD
 - controls 106
 - loading discs 106
 - DVD player 106
 - Dynamic mode 67
- ## E
- EBA (Emergency brake assist) 70
 - warning lamp 70
 - EBD (Electronic Brake force Distribution) 70
 - Electric parking brake (EPB) 71
 - Electronic differential 68
 - Emergency key blade
 - location 4
 - number 7
 - using 4
 - Emissions
 - CO² 144

Index

- Engine
 - compartment 149
 - closing 148
 - fuse box location 173
 - fuses 174
 - opening 148
 - coolant
 - level check 156
 - topping up 157
 - diesel 161
 - malfunction warning lamp 44
 - number
 - diesel engines 185
 - petrol engines 185
 - oil
 - consumption 156
 - filler location 149
 - level check 155
 - specification 156
 - topping up 156
 - used engine oil 148
 - petrol 161
 - rolling re-start 64
 - specifications 161
 - starting
 - diesel 63
 - failure 64
 - petrol 63
 - switching off 63
 - with the vehicle moving 64
 - Entry mode 16
 - EPB (electric parking brake) 71
 - warning lamp 43
 - Ethanol 140
 - Event data recording 183
 - Exit mode 16
 - Exterior mirrors 36
 - adjusting and folding 36
 - mirror dip when reversing 37
 - External temperature display 55
- F**
- Fan speed control
 - front 53
 - rear 56
 - Fastening the seat belts 17
 - Fire extinguisher 151
 - First aid kit 151
 - Flat spots 171
 - Fluids
 - brake fluid level check 157
 - brake fluid reservoir location 149
 - brake fluid top-up 159
 - capacities 164
 - coolant level check 156
 - coolant level top-up 157
 - coolant reservoir location 149
 - engine oil check 155
 - engine oil filler location 149
 - engine oil specification 156
 - engine oil top-up 156
 - power steering fluid reservoir location 149
 - power steering level check 159
 - power steering top-up 159
 - specifications 161
 - washer fluid level check 160
 - washer fluid reservoir location 149
 - washer fluid top-up 160
 - Fog lamps
 - warning lamp 45
 - Follow mode 80
 - changing the gap 81
 - overriding the speed 82
 - resuming 82
 - setting the gap 80
 - Footwell lights 31
 - Forward alert 84
 - warning lamp 45, 84

- Fuel
- consumption 144
 - extra-urban cycle 144
 - urban cycle 144
 - diesel misfuel protection 142
 - diesel quality 141
 - empty fuel tank 141
 - ethanol 140
 - filler 142
 - filler flap 142
 - maintenance 148
 - methanol 140
 - methyl tertiary butyl ether (MTBE) 140
 - octane rating 140
 - petrol quality 140
 - running out 141
 - running out (diesel) 141
 - safety 140
 - specification 143
 - sulphur content 141
 - tank capacity 143
 - water in fuel 141
- Fuse box locations 173
- Fuses 173
- access 173
 - changing 173
 - engine compartment 174
 - locations 173
 - luggage compartment fuses 177
 - passenger compartment fuses 175
 - replacement 173
- G**
- Garage door opener 40
- before programming 40
 - entry gate programming 42
 - information and assistance 42
 - programming 40
 - reprogramming a single button 41
 - rolling code device programming 41
 - to erase all programming 41
- Gears 65
- gearbox identification number 185
 - limp home mode 66
 - selector 65, 66
 - malfunction 66
 - selector paddles 65
 - temporary manual mode 66
- Global closing 10
- Glove box 62
- lamp 31
- H**
- Handbrake 71
- Head restraints 14
- manual head restraints 15
 - removal 15
- Headlamps 28
- adaptive front lighting 29
 - cornering lamps 29
 - static bending lamps 29
 - approach lamps 29
 - auto high beam 29
 - bulb replacement 150
 - daylight running lamps 28
 - dipped beam 28
 - driving abroad 30
 - exit delay 28
 - high beam warning lamp 45
 - removal 150
 - washers 33
 - windscreen wiper detection 29
- Heated screens 53, 54
- Heated seats 57
- Heated steering wheel 16

Index

- Heating 53
 - auto mode 55
 - climate seats 57
 - front controls 53
 - front seats 53
 - heated seats 57
 - rear controls 56
 - rear seats 56
 - recirculation 54
 - seat menu button 57
 - temperature control 55
 - ventilated seats 57
- Home menu 50
- Homelink 40
 - entry gate programming 42
 - information and assistance 42
 - programming 40
 - reprogramming a single button 41
 - rolling code device programming 41
 - to erase all programming 41
- I**
- Ignition 63
 - convenience mode 7
 - failure 64
 - rolling re-start 64
 - switching off 63
 - switching off with the vehicle moving 64
- Information messages 48
- Instrument panel menu 47
- Intelligent high beam (Auto high beam) 29
- Interior lights 31
 - front 31
 - rear 31
- iPod connection 95
- Isofix child seats 23
- J**
- Jacking points 180
- Jaguar Smart Key
 - system transmitters 166
- JaguarDrive selector 66
- Jump starting 168
- K**
- Keyless entry 6
 - convenience mode 7
 - keyless locking 10
- Keyless starting
 - diesel 63
 - if the engine fails to start 64
 - petrol 63
- Keys
 - emergency key blade 4
 - location 4
 - using 4
- L**
- Labels 185
- Leather care 153
- License plate lamps
 - bulb replacement 150

- Lights 28
 - adaptive front lighting 29
 - cornering lamps 29
 - static bending lamps 29
 - warning lamp 44
- approach lamps 4, 29
- bulb changing 149
 - headlamp 150
 - high-level brake lamp 150
 - rear lamp 150
 - specification 164
 - xenon lamp 149
- condensation 30
- courtesy lighting 31
- daylight running lamps 28
- direction indicators
 - operation 28
 - warning lamps 45
- driving abroad 30
- headlamps 28
 - auto high beam 29
 - beam adjustment 30
 - dipped beam 28
 - exit delay 28
 - high beam warning lamp 45
 - removal 150
 - windscreen wiper detection 29
- high level brake lamp 150
- rear fog lamps
 - warning lamp 45
- rear lamps
 - operation 28
 - removal 150
- side lights
 - operation 28
 - warning lamp 45
- Limp home mode 66
- Load carrying 59
 - luggage anchor points 60
- Locking and unlocking 4, 9
 - alarm
 - battery-backed sounder 10
 - full alarm 10
 - passive arming 11
 - perimeter alarm 10
 - sensor faults 11
 - tilt sensor 11
 - automatic re-lock 11
 - child locks 17
 - confirmation 9
 - deadlocks 9
 - double locking 9
 - drive-away locking 7
 - global closing 10
 - global opening 7
 - keyless
 - entry 4
 - locking 10
 - keyless entry 6
 - mislock 10
 - single locking 9
 - using the emergency key blade 4
 - valet mode
 - deselecting 52
 - selecting 52
- Luggage compartment 59
 - anchor points 60
 - emergency release 60
 - fuse box
 - fuses 177
 - location 174
 - opening 4
- Lumbar support 12

- M**
- Maintenance 146
 - airbag system 146
 - blocked washer jets 149
 - bonnet closing 148
 - bonnet opening 148
 - brake fluid level check 157
 - brake fluid top-up 159
 - bulb changing 149
 - coolant level check 156
 - coolant level top-up 157
 - daily checks 146
 - diesel particulate filter (DPF) 147
 - DPF regeneration procedure 147
 - engine compartment overview 149
 - engine oil check 155
 - fluid specifications 161
 - fuel system 148
 - garage safety 147
 - power steering level check 159
 - power steering top-up 159
 - safety 147
 - severe driving conditions 147
 - technical specifications 161
 - tyre pressure check 170
 - tyre valves 171
 - used engine oil 148
 - washer fluid top-up 160
 - washer level check 160
 - weekly checks 146
 - Manual gear selection 66
 - Mapping data 122
 - Massage seats 55
 - Media hub (portable media) 95
 - Memory seats 13
 - Menu
 - controls 47
 - instrument panel 47
 - touch screen 50
 - Message centre 48
 - Messages 48
 - Methanol 140
 - Methyl tertiary butyl ether (MTBE) 140
- Mirrors**
- blind spot monitor 38
 - exterior 36
 - operation 36
 - powerfold 36
 - reverse auto-dip 37
- Mislock 10
- MP3 101
- N**
- Navigation 122
- accessing 122
 - cancel guidance 126
 - digitised area 122
 - emergency search 127
 - main menu 123
 - mapping data 122
 - memory points 127
 - points of interest 126
 - postcode search 127
 - screen modes 125
 - search area 125
 - setting a destination 125
 - split screen map 124
 - Traffic Message Channel (TMC) 129
 - icons 130
- News announcements 92
- O**
- Octane rating 140
- Oil check 155
- P**
- Paint
- cleaning 152
 - damage repair 151
- Pairing a phone 118

- Parking aid 75
 - accessories 76
 - operation 76
 - rear view camera 77
 - sensor 75
 - sensors 76
 - switch 75
 - volume adjustment 76
- Parking brake 71
 - warning lamp 43
- Parts 146
- Passenger compartment fuses 175
- Passive arming 11
- Pedestrian protection system 183
 - after deployment 183
- Petrol
 - fuel quality 140
- Phone 116
 - Bluetooth 116
 - call divert 116
 - call volume 120
 - changing phone 119
 - compatibility 117
 - connecting 118
 - controls 116, 119
 - digit dial 116, 120
 - ending a call 116
 - general information 116
 - last 10 option 121
 - making a call 116
 - pairing 118
 - phonebook 120
 - safety 117
 - settings 121
 - status 116
 - touch screen icons 119
 - touch screen operation 116
 - voice mail 116
- Polishing 152
- Portable audio 95
 - bluetooth 98, 99
 - browse 97
 - connecting a bluetooth device 98, 99
 - connecting multiple devices 98
 - connections 95
 - controls 97
 - playing a bluetooth device 98, 99
 - playing a device 98
 - repeat 97
 - search 97
 - shuffle 97
 - skip/scan 97
 - source selection 97
 - touch screen operation 97
 - track list 97
- Power socket 62
- Power steering fluid
 - level check 159
 - specification 159
 - top-up 159
- Puncture repair kit 135
 - contents 136
 - repair procedure 137
 - checking tyre pressures after repair 138
 - safety information 135
 - using 137
- Punctured tyres 171

R

Radio	
alternative frequencies (AF)	92
autostore	91
channel up/down	91
controls	91
DAB	93
enhanced other networks (EON)	92
news announcements	92
Radio Data System (RDS)	92
regionalisation (REG)	92
settings	91
station list	91
station presets	91
text	91
touch screen operation	91
traffic announcements	91, 92
wave band selection	91
Rain sensor	33
Reading lamps	31
Rear lamp removal	150
Rear seat entertainment	110
Remote control	111
Rear seats	15
Rear view camera	77
Rear view mirrors	36
Recirculation	53, 54
Recovery	182
Refuelling	
diesel misfuel protection	142
filler flap	142
fuel consumption	144
fuel filler	142
fuel specification	143
tank capacity	143
Regeneration procedure (DPF)	147
Remote control	4
Remote handset	4
battery replacement	8
care	7
Repair kit	135
Restraints	21
Rolling re-start	64

Roof rack	146
RSE	110
Remote control	111
Running-in	
engine oil consumption	156

S

Safety	
after a collision	183
airbags	25
battery	167
child locks	17
child seats	17, 21
child seats check list	22
fuel safety	140
in the garage	147
seat belt checks	20
seat belts	17
tyre pressures	170
tyre repair information	135
tyres	170
using a telephone	117
wheel changing	179
Sat Nav	122
Satellite navigation	122
Say what you see	113
Screen heaters	53, 54
Seat belts	17, 19
beltminder	20
beltminder warning lamp	44
cleaning	154
height adjustment	17
safety	17, 19
safety checks	20
warning lamp	20, 44

Seats	
adjustment	12
child seats	21
climate seats	57
front	12
head restraint removal	15
head restraints	14, 15
heated seats	57
lumbar support	12
massage seats	55
memory	13
menu button	57
programmable	13
rear	15
seat position	14
sitting correctly	14
ventilated seats	57
Sensors	
faults	11
Service interval indicator	48
Servicing	
airbags	27
interval indicator	48
Settings	
telephone	121
Side lights	28
warning lamp	45
Single locking	9
Sitting correctly	14
Smart key	4
battery replacement	8
care	7
Snow chains	172
Spare wheel (temporary use)	180
Specifications	
accessory wheels and tyres	164
capacities	164
engines	161
lubricants and fluids	161
vehicle dimensions	163
vehicle weights	162
Speech activation	113
Speed limiter	85
resuming	85
setting a limit	85
suspending	85
warning lamp	45, 85
SRS (Supplementary restraint system)	25
Stability control	67
adaptive dynamics	68
driving scenarios	69
dynamic mode	67
switching between DSC and Trac DSC	68
switching off	68
switching on	68
tracDSC	67
warning lamp	68
winter mode	67
Stain removal	153
Start/stop button	63
Starting the engine	
diesel	63
petrol	63
Static bending lamps	29
Steering column lock	63
Steering wheel	
adjusting the position	16
entry and exit mode	16
heater	16
memory settings	16
telephone controls	119
Storage compartments	62
Sun blinds	34
Sunroof	34
anti-trap protection	35
blinds	34
calibration	151
global closing	10
operation	34
Supplementary restraints system	25
Switching off the engine	63
with the vehicle moving	64

Index

- T**
- Technical specifications 161
 - Telephone 116
 - Bluetooth 116
 - call divert 116
 - call volume 120
 - changing phone 119
 - compatibility 117
 - connecting 118
 - controls 116, 119
 - digit dial 116, 120
 - ending a call 116
 - general information 116
 - last 10 option 121
 - making a call 116
 - pairing 118
 - phonebook 120
 - safety 117
 - settings 121
 - status 116
 - touch screen icons 119
 - touch screen operation 116
 - voice mail 116
 - Television
 - analogue/digital selection 105
 - channel list 104
 - channel selection 104
 - controls 104
 - digital/analogue selection 104
 - dual view 108
 - dual view controls 108
 - full screen controls 105
 - full screen view 105
 - preset channels 104
 - seek up/down 104
 - touch screen operation 104
 - Temperature controls
 - front 53
 - rear 56
 - Temperature display 55
 - Temporary use spare wheel 180
 - Tether straps 23
 - Tilt sensor 11
 - Tool kit 180
 - contents 180
 - Touch screen 50
 - care 51
 - CD controls 102
 - cleaning 153
 - connecting a phone 118
 - DAB controls 93
 - deselecting valet mode 52
 - display icons 51
 - dual view 108
 - dual view controls 108
 - home menu 50
 - language settings 51
 - pairing a phone 118
 - portable media controls 97
 - radio controls 91
 - screen settings 51
 - selecting valet mode 52
 - set up 51
 - system settings 51
 - telephone controls 116
 - telephone icons 119
 - television controls 104
 - touch screen use 50
 - vehicle settings 51
 - video media controls 106
 - Towing eyes 182
 - attaching the front towing eye 182
 - TPM system
 - wheel changing 73
 - TPM (Tyre Pressure Monitoring) system 72
 - operation 72
 - replacement sensor 73
 - replacement wheels 73
 - spare wheel 73
 - tyre pressure monitoring unavailable 73
 - warning lamp 72
 - wheel changing 73
 - TracDSC 67

- Traction control
- adaptive dynamics 68
 - driving scenarios 69
 - dynamic mode 67
 - switching between DSC and tracDSC . . 68
 - switching off 68
 - switching on 68
 - tracDSC 67
 - warning lamps 68
 - winter mode 67
- Traffic announcements 92
- Transmission 65
- gear selector 65
 - gear selector paddles 65
 - identification number 185
 - limp home mode 66
- Transmitters 166
- Transporting the vehicle 182
- Trip computer 47, 48
- average fuel consumption 48
 - average speed 48
 - changing the display 48
 - ML-km (also Miles-litre) 48
 - range 48
 - service interval indicator (Diesel vehicles) . . 48
 - trip distance 48
- Turn signals 28
- TV 104
- Type approvals 186
- Tyre pressure monitoring system
- warning lamp 45
- Tyre pressure monitoring (TPM) system . . 72
- Tyre repair kit 136
- Tyres
- accessory tyre pressures 164
 - age degradation 171
 - care 170
 - flat spots 171
 - pressure check 170
 - pressure check after repair 138
 - pressure compensation for temperature changes 171
 - pressures 138, 170
 - puncture repair kit 136
 - punctures 171
 - repair kit 135
 - repair procedure 137
 - replacement tyres 171
 - safety 170
 - TPM system warning lamp 45
 - TPM (Tyre Pressure Monitoring) system . 72
 - using snow chains 172
 - valves 171
 - winter tyre pressures 172
 - winter tyres 172
- U**
- Unlocking 4, 9
 - Upholstery care 153
 - USB devices 95
 - Using seat belts during pregnancy 17
 - Using the remote control
 - emergency key blade 4
 - Jaguar Smart Key 4
 - Jaguar Smart Key system transmitters . 166
- V**
- Valet mode 52
 - deselecting 52
 - PIN entry 52
 - selecting 52 - Vanity mirror lamps 31

Index

- Vehicle battery
 - battery monitoring system (BMS) 168
 - booster cables
 - connecting 168
 - disconnecting 168
 - charging 169
 - replacing 169
 - Vehicle build date plate 185
 - Vehicle identification 185
 - Vehicle Identification Number (VIN) 185
 - Vehicle recovery 182
 - Ventilated seats 57
 - Ventilation
 - air quality sensor 54
 - air recirculation 53
 - auto mode 55
 - blower control 53
 - climate seats 57
 - front controls 53
 - front seats 53
 - heated seats 57
 - rear controls 56
 - rear seats 56
 - recirculation 54
 - seat menu button 57
 - temperature control 55
 - ventilated seats 57
 - Video media player
 - angle 107
 - controls 106
 - full screen controls 107
 - full screen view 107
 - GOTO 107
 - inhibited playback 107
 - loading DVDs 106
 - settings 107
 - subtitles 107
 - tools 107
 - video on demand (VOD) 107
 - VIN 185
 - Voice control 113
 - command list 113
 - help mode 113
 - operating guide 114
 - session interruptions 114
 - training 114
 - tutorial 114
 - user recognition 114
 - voice button 113
 - voice recognition 114
 - voicetags 114
 - Voice mail 116
 - Voicetags 114
 - Volume control 86
 - Volume presets 51
- ## W
- Warning labels 185
 - Warning lamps 43
 - ABS (Anti-lock braking system) 44, 70
 - adaptive cruise control 45
 - AFL (adaptive front lighting) 44
 - airbags 27, 45
 - automatic speed limiter 45, 85
 - beltminder 44
 - brakes 43, 70
 - direction indicators 45
 - DSC (dynamic stability control) 45, 68
 - DSC (dynamic stability control) off 45
 - EBA (Emergency brake assist) 70
 - engine malfunction 44
 - forward alert 45, 84
 - high beam 45
 - indicator check 43
 - parking brake 43
 - rear fog lamps 45
 - seat belt 20
 - seat belts 44
 - side lights 45
 - TPM (Tyre Pressure Monitoring) system 72
 - tyre pressure monitoring system (TPMS) . . 45

- Warning messages 48
 - Warning triangle 151
 - Warnings
 - audible 46
 - Washers
 - blocked jets 149
 - drip wipe 33
 - fluid
 - check 160
 - reservoir location 149
 - top-up 160
 - headlamp 33
 - timed jet function 33
 - windscreen 33
 - Washing 151
 - automatic car wash 152
 - cloth and fabric 153
 - exterior 151
 - glass surfaces 152
 - instruments 153
 - interior 152
 - leather 153
 - paintwork 152
 - rear screen 152
 - removing grease and tar 152
 - stain removal 153
 - sunroof wind deflector 152
 - underbonnet 152
 - wheels 151
 - Weights 162
 - Wheels
 - accessory specifications 164
 - alignment data (China only) 165
 - changing 179
 - jack 180
 - jacking points 180
 - locking wheel nuts 181
 - safety 179
 - temporary use spare wheel 180
 - tightening wheel nuts 181
 - wheel chock 180
 - cleaning 151
 - using snow chains 172
 - Whiplash protection 25
 - Windows 34
 - anti-trap protection 35
 - calibration 151
 - global closing 10
 - one-touch operation 35
 - operation 34
 - window isolator 34
 - window reset 151
 - Windscreen
 - heater 53, 54
 - washers 33
 - blocked jets 149
 - drip wipe 33
 - fluid check 160
 - fluid reservoir 149
 - fluid top-up 160
 - timed jet function 33
 - wiper
 - detection 29
 - wipers 32
 - operation 32
 - rain sensor 33
 - single wipe 32
 - speed-dependent mode 32
 - Winter mode 67
 - Winter tyres 172
 - approved tyres 172
 - pressures 172
- X**
- Xenon lamps 149