

ISOFIX ANCHOR POINTS (not Australia)



If the restraint is not correctly anchored, there is a significant risk of injury to the child in the event of a collision or emergency braking.



If removing a head restraint in order to fit a child restraint, always secure the head restraint when storing it.

Both of the outer rear seat positions are equipped to accept ISOFIX restraints.



This symbol is shown on a tag label on the seats to indicate the position of the ISOFIX lower anchorages.

Note: The information contained in the following table may not be applicable to all countries. If you are in any doubt regarding the type and fitment of child seats seek advice from your Jaguar Dealer/Authorised Repairer.

Mass group	Size classes	Fixtures	Rear outboard seats
Carrycot	F/G	ISO L1/L2	X
0 = Up to 10 kg (22 lb.) 0 to 9 months	E	ISO R1	IL *
0+ = Up to 13 kg (29 lb.) 0 to 18 months	C/D/E	ISO R1/R2/R3	IL *
I = 9 to 18 kg (20 to 40 lb.) 9 months to 4 years	C/D A/B B1	ISO R2/R3 ISO F2/F3 F2X	X X IL **
II = 15 to 25 kg (33 to 55 lb.) 4 to 9 years	-	N/A	N/A
III = 22 to 36 kg (49 to 80 lb.) 8 to 12 years	-	N/A	N/A

IL = These ISOFIX child restraint systems are of the specific vehicle, restricted or semi-universal categories.

X = Not suitable for child restraint fitment in this mass group.

***** = Child seat suitable for use in these locations is the Britax/Römer Baby Safe Plus.

****** = Child seat suitable for use in these locations is Britax/Römer Duo Plus.

N/A = not available.

Note: Ages given are approximate. In case of doubt, the child's weight, not age, should be used when considering an appropriate child seat.

Note: When installing either a front or rear facing ISOFIX child seat in the rear seats, the front seat directly in front of the rear seat being used must be set in the most forward position and with the seat in its most upright position. Therefore it is not recommended that the front seat is occupied while using an ISOFIX child seat.