SJ1743

Declaration of Conformity appropriate to the Directive 1999/5/EC (R&TTE)
Annex IV

Visteon Deutschland GmbH
.....
Manufacturer,

Notified Body consulted: **Cetecom ICT Services GmbH, Untertürkheimer Strasse 6-10, D-66117 Saarbrücken**
ID-Number of Notified Body: **0682**

declare under our responsibility that the product: **Immobiliser System Transceiver**

Type: **PATS XCVR** Start Control Unit

☐ Telecommunications Terminal Equipment ☒ Radio Equipment

Immobiliser System Transceiver 1
.....
Intended Purpose Equipment Class

complies with the appropriate essential requirements of the Article 3 of the R&TTE and the other relevant provisions, when used for its intended purpose.

Health and Safety requirements contained in Article 3 (1) a)

EN 60 950: 2001 Information technology equipment – Safety --
EN 50 371: 2002, Generic standard to demonstrate the compliance of low power electronic and electrical apparatus with the basic restrictions related to human exposure to electromagnetic fields (10 MHz – 300 GHz) – General public.

Protection requirements with respect to electromagnetic compatibility Article 3 (1) b)

EN 301 489-03 V.1.4.1: 08/2002, Electromagnetic Compatibility and radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services, Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz.

Means of the efficient use of the radio frequency spectrum

☒ Air interface specification of the radio path contained in Article 3(2)

EN 300 330-1 V1.3.2: 12/2002 and **EN 300 330-2 V1.1.1**: 06/2001, Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 1: Technical characteristics and test methods and Part 2: Harmonized EN under article 3.2 of the R&TTE Directive.

Address:

Visteon Deutschland GmbH
Visteonstrasse 4 - 10
50170 Kerpen
Germany
URL: http://www.visteon.com/europe

Roland Greff
Vice President Visteon Deutschland GmbH

CE 0682

Declaration of Conformity appropriate to the Directive 1999/5/EC (R&TTE)
Annex IV

Visteon Deutschland GmbH
.....
Manufacturer,

Notified Body consulted: **Phoenix Test-Lab, Königswinkel 10, D-32825 Blomberg**
ID-Number of Notified Body: **0700**

declare under our responsibility that the product: **RKE Transmitter**

Type: **TXREL**

☐ Telecommunications Terminal Equipment ☒ Radio Equipment

Remote Keyless Entry System Transmitter 1
.....
Intended Purpose Equipment Class

complies with the appropriate essential requirements of the Article 3 of the R&TTE and the other relevant provisions, when used for its intended purpose.

Health and Safety requirements contained in Article 3 (1) a)

EN 60 950: 2001 Information technology equipment – Safety – Part 1: General Requirements.
EN 50 371: 2002, Generic standard to demonstrate the compliance of low power electronic and electrical apparatus with the basic restrictions related to human exposure to electromagnetic fields (10 MHz – 300 GHz) – General public.

Protection requirements with respect to electromagnetic compatibility Article 3 (1) b)

EN 301 489-01 V.1.4.1: 08/2002, Electromagnetic Compatibility and radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements.
EN 301 489-03 V.1.4.1: 08/2002, Electromagnetic Compatibility and radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz.

Means of the efficient use of the radio frequency spectrum

☒ Air interface specification of the radio path contained in Article 3(2)

EN 300 220-3 V1.1.1: 09/2000, Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices (SRD); Radio equipment to be used in the 25 MHz to 1000 MHz frequency range with power levels ranging up to 500 mW; Part 3: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive.

Address:

Visteon Deutschland GmbH
Visteonstrasse 4 - 10
50170 Kerpen
Germany
URL: http://www.visteon.com/europe

Roland Greff
Vice President Visteon Deutschland GmbH

CE 0700

SIEMENS VDO
Automotive

SiemensVDO Automotive AG „P.O. Box 10 09 43 „D-93009 Regensburg

Name Dagmar Kolar
Department SV C TS RBG EMC-Laboratory
Tel. +49(0)941/790-6699
Fax +49(0)941/790-136699
E-Mail dagmar.kolar@siemens.com
Internet www.siemensvdo.de
Our Ref. Doc_5WK49096.doc
Date. 03/08/2005

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Manufacturer: Siemens VDO Automotive AG
Body & Chassis Electronics

Address: Dep. SV C BC P2 RF TG
Siemensstrasse 12
D-93049 Regensburg
Germany

Product type designation: 5WK4 9096

Intended use: Radio frequency receiver used in vehicle locking/unlocking systems

The product mentioned above complies with the essential requirements and other relevant provisions o Directive 1999/5/EC, when used for its intended purpose:

Health and safety pursuant to §3.1.a: *Applied standard(s):* EN 60950:2000

Electromagnetic compatibility pursuant to § 3.1.b: *Applied standard(s):* EN 301 489-1,-3: V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2: *Applied standard(s):* EN 300 220-1: V1.3.1 (2000-09)

The following marking applies to the above mentioned product:

CE

Siemens VDO Automotive AG

Regensburg, 2005-08-03

i. V.
Jean-Francois Tarabbia
Executive Vice President
Body and Chassis Electronics Operations

i.V.
Dr. Martin Fischer
Vice President
Wireless Products and Modules

SIEMENS VDO
Automotive

SiemensVDO Automotive AG - P.O. Box 10 09 43 - D-93009 Regensburg

Name Regina Quegwer
Department SV C BC P2 RF TG
Tel. +49(0)941/790-3554
Fax +49(0)941/790-133 554
E-Mail Regina.Quegwer@siemens.com
Internet www.siemensvdo.de
Our Ref. Doc_S120123.doc
Date. 4/03/2004

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Manufacturer: Siemens VDO Automotive AG
Body & Chassis Electronics

Address: Dep. SV C BC P2 RF TG
Siemensstrasse 12
D-93055 Regensburg
Germany

Product type designation: S120123

Intended use: Radio frequency transmitter used Tire Pressure Monitoring system

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

Health and safety pursuant to §3.1.a: *Applied standard(s):* EN 60950: 2000

Electromagnetic compatibility pursuant to § 3.1.b: *Applied standard(s):* EN 301 489 -1,-3: V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2: *Applied standard(s):* EN 300 220 -1: V1.3.1 (2000-09)

The following marking applies to the above mentioned product:

CE

Siemens VDO Automotive AG

Regensburg, 2004-03-04

i.V.
Jean-Francois Tarabbia
Executive Vice President
Body and Chassis Electronics Operations

i.V.
Norbert Müller
Vice President
Wireless Products and Modules

SJ1745

SIEMENS VDO
Automotive

Siemens VDO Automotive AG - Postfach 10 09 43 - 93009 Regensburg

Name	Schneider Tanja
Department	SV C BC P2 RF TG
Phone	+49(0)941/790-6622
Fax	+49(0)941/790-90921
E-Mail	tanja.schneider@siemens.com
Internet	www.siemensvdo.de
Your Letter	
Our Ref.	DoC_5WK45685_4
Date.	07.04.2004

Declaration of Conformity

We, the undersigned, declare that

-the transmitter S120123001 is manufactured for different customers. All transmitters use the same schematic, pcb and assembly. The following type designation is used:

5WK4 5685 for customer Land Rover and Jaguar.

-the transmitter S120123002 is manufactured for different customers. All transmitters use the same schematic, pcb and assembly. The following type designation is used:

5WK4 5684 for customer Land Rover and Jaguar.

Yours truly,

Siemens VDO Automotive AG

i.V.
Jean-Francois Tarabbia
Executive Vice President
Body & Chassis Electronics Operations

i.V.
Norbert Müller
Vice President
Wireless Products and Modules

Siemens VDO Automotive AG Body & Chassis Electronics
Helmut Matschi
Klaus Müller

Postal Address:
Siemens VDO Automotive AG
Postfach 10 09 43
93009 Regensburg

Office Address:
Siemensstraße 12
93055 Regensburg
Tel. +49(0)941/790-02

Siemens VDO Automotive AG - Chairman of the Supervisory Board: Professor Dr. Edward G. Krubasik - Managing Board: Wolfgang Dehen, Chairman - Members: Dr. Klaus Egger, Günter Hauptmann, Reinhard Pinzer - Registered Office: München - Commercial Registry: München, HRB 132637

SIEMENS VDO
Automotive

Siemens VDO Automotive AG - Postfach 10 09 43 - 93009 Regensburg

Name	Regina Quegwer
Abteilung	SV C CE AIS LF
Tel.	+49(0)941/790-3554
Fax	+49(0)941/790-133554
E-Mail	Regina.Quegwer@siemens.com
Internet	www.siemensvdo.de
Ihr Schreiben	
Unser Zeichen	Decl_variant_8883_6.doc
Datum	22.08.2002

Declaration of Conformity

We, the undersigned, declare that the

Receiver type 5WK4 8883 and 5WK4 8886 are based on receiver type 5WK4 8812.

The assembly and layout differs in the following items:

Data Filter
Data Slicer
VCC blocking capacitor
ESD protection

The changed assembly and layout does not influence the RF characteristics.

Yours truly,

Siemens VDO Automotive AG

i.V.
Helmut Matschi
Vice President and CEO
Carbody Electronics

i.V.
Norbert Müller
Director
Access & Immobilisation Systems

Siemens VDO Automotive AG Carbody Electronics
Helmut Matschi
Dr. Raymund Müller

Briefadresse:
Siemens VDO Automotive AG
Postfach 10 09 43
93009 Regensburg

Hausadresse:
Siemensstraße 12
93055 Regensburg
Tel. +49(0)941/790-02

Siemens VDO Automotive AG - Vorsitzender des Aufsichtsrates: Professor Dr. Edward G. Krubasik - Vorstand: Wolfgang Dehen, Vorsitzender - Mitglieder: Dr. Klaus Egger, Günter Hauptmann, Johann Lübker - Sitz der Gesellschaft: München - Registergericht: München, HRB 132637

SIEMENS

Name Regina Quegwer
Department AT BE AS SI 3
Tel. +49(0)941/202-35 54
Fax +49(0)941/202-95 35 54
Email: regina.quegwer@at.siemens.de
Your Letter
Our Ref. ECDOC_RF_RX3Gen433.doc
Date 2000-12-01

EC Declaration of Conformity according to Annex II of Directive 1999/5/EC

Manufacturer: Siemens Automotive AG
Access Control & Security Systems

Address: Wernerwerkstrasse 2
D-93049 Regensburg
Germany

Product type designation: 5WK4 8812

Intended use: radio receiver for vehicle locking/unlocking systems

The product mentioned above complies with the following European Directive:

1999/5/EC: Directive of the European Parliament and of the Council on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity, dated 9th March 1999.

We, the undersigned, hereby declare that our above-mentioned product complies with all essential radio test suites according to Annex II of Directive 1999/5/EC. Proof is shown by:

- test report no. 00001036, issued by the accredited test laboratory M. Dudde Hochfrequenz-Technik, according to EN 300 220-1
- test report no. 00001038, issued by the accredited test laboratory M. Dudde Hochfrequenz-Technik, according to EN 301 489-1, -3

Siemens Automotive AG

Regensburg, 01.12.2000

i.V.
Helmut Matschi
Vice President and General Manager
Access Control & Security Systems

i.V.
Ulrich Schrey
Director Development
Access Control & Security Systems

Siemens Automotive AG

Postal Address: Siemens Automotive AG AT BE AS SI 3 P.O. Box 10 09 55 93009 Regensburg Federal Republic of Germany

Office Address: Wernerwerkstraße 2 93049 Regensburg Phone +49(0)941/202-0

Siemens Automotive AG • Chairman of the Supervisory Board: Eduard G. Kiubassik • Managing Board: Franz Wintersteiger, Chairman - President and Chief Executive Officer • Members: Jürgen Radler • Registered Office: München • Commercial Registry: München, HRB 132037

SIEMENS VDO
Automotive

Siemens VDO Automotive AG · Postfach 10 09 43 · 93009 Regensburg

Name Thomas Heselberger
Department SV C BC P2 RF
Phone +49(0)941/790-3554
Fax +49(0)941/790-90921

E-Mail thomas.heselberger@siemens.com

Internet www.siemensvdo.de
Your Letter
Our Ref. DoC_5WK45791.doc
Date 23.06.2005

Declaration of Conformity

We, the undersigned, declare that

The Control Unit (ECU) 5WK45692 uses the same schematic, layout and pcb as Control Unit 5WK45686.

They only differ in:

At Control Unit 5WK45692 there was made a software change to adapt several car lines.

These modifications do not influence the RF characteristics of the Body Controller.

Yours truly,

Siemens VDO Automotive AG

Regensburg, 23.06.2005

i.V.
Jean-Francois Tarabbia
Executive Vice President
Body and Chassis Electronics Operations

i.V.
Dr. Martin Fischer
Vice President
Wireless Products and Modules

Siemens VDO Automotive AG Body & Chassis Electronics

Helmut Matschi
Klaus Müller

Postal Address: Siemens VDO Automotive AG Postfach 10 09 43 93009 Regensburg

Office Address: Siemensstraße 12 93055 Regensburg Tel. +49(0)941/790-02

Siemens VDO Automotive AG - Chairman of the Supervisory Board: Professor Dr. Edward G. Kiubassik - Managing Board: Wolfgang Dehen, Chairman - Members: Dr. Klaus Egger, Günter Hauptmann, Reinhard Pinker - Registered Office: München - Commercial Registry: München, HRB 132037

A

ABS (Anti-lock braking system)
warning lamp 44
ACC (Adaptive cruise control) 85
ASL (Active speed limiter) 90
ASL (Automatic speed limiter)
setting 90
suspending 90
automatic switch-off 87
driving hints 87
fault 88
follow mode 86
gap change 86
low speed switch-off 87
malfunction 88
override 87
resume follow mode 87
resume set speed 87
warning lamp 44
ACC (adaptive cruise control)
operating 85
Accessory wheels and tyres 156
Active differential control 75
Active head restraints
airbags 26
Adaptive dynamics 75
Adaptive front lighting system (AFS)
warning lamp 45
AFS (Adaptive front lighting system) 31
After a collision
pedestrian protection system 176
rollover bars 176
Age degradation (tyres) 165
Air conditioning
air quality sensor 56
auto 55
Air quality sensor 56
Airbags
active head restraints 26
deactivation indicator 28
deployment 27
module covers 143
service information 29
SRS (Supplementary restraint system) 138
warning lamps 29, 45
Alarm 10, 138
automatic relocking and arming 11
battery backed sounder 10
deactivating 11
passive arming 11
perimeter 10
sensor fault 11
tilt sensor 11
Anchor points (ISOFIX) 23
Antifreeze level check 148
Anti-theft system 138
Anti-trap protection
windows 37
Approach lamps 31
Arduous driving conditions 139
ASL (Automatic speed limiter) 90
gap change 86
resuming 90
setting 90
suspending 90
warning lamp 45
Audible warnings 46
Audio
CD
controls 102
controls 91
DAB
reception 97
loading CDs 103
MP3 104
portable media
connections 99
controls 100
settings 92
Audio system 142
Auto mode (climate) 55
Automatic gearbox 71
Automatic locking 7
Automatic switch off (ACC) 87
Automatic switch off (cruise) 84

Auxiliary devices
connecting multiple devices. 101

B

Battery
boost starting 159, 160
care 158
changing
timed climate remote 160
charging. 160
jump starting
connecting jump leads 159
disconnecting jump leads 160
monitoring system. 159
warning symbols 158
Battery backed sounder 10
Beltminder 19
warning lamp 19, 43
Bluetooth 105
telephone
compatibility 105
icons 107
overview. 108
pairing 106
safety 105
Bonnet
closing 144
opening 144
Boost starting 159, 160
Brakes
ABS warning lamp 44
EBA (Emergency brake assist) 77
EBD (Electronic brake force
distribution) 77
fluid
check 148
specification. 150
top up 150
handbrake 78
pedal travel 156
warning lamp 43, 77
BSM (Blind spot monitor)
detection beam issues. 88

C

Calibration
navigation system 118
Call volume 110
Cameras
rear view 82
Cancelling guidance 118
Capacities 155
Carpets and mats 142
Car-wash. 141
CD player
controls. 102
loading discs 103
Changing a fuse 168
Changing the battery (timed climate) . . . 160
Charging the vehicle battery 160
Chassis number 178
Child restraints 20
check list 21
positioning 22
Child seats 20
check list 21
Installing ISOFIX seats 23
ISOFIX anchor points 23
positioning 22
tether straps 24
Cleaning
alloy wheels 140
carpets and mats. 142
convertible roof. 140
exterior 140
paintwork 141
glass 141
interior 141, 142
leather 141
parking sensors 82
polishing 141
rear screen 141
removing grease 141

removing stains 142
removing tar 141
underbonnet 141
using a car-wash 141
Climate control
auto 55
overview 56
recirculation 55
temperature 56
Climate seats 56
Clock 142
Closing
alarm sensor faults 11
convertible roof 60
single locking 9
Closing the bonnet 144
Closing the luggage compartment 57
Column lock 7
Condensation (headlamps) 31
Conformity declarations 180
Consumption
urban cycle (fuel) 137
Consumption (fuel) 137
Controls
headlamps 30
steering wheel
set cruise speed 83
Convertible roof
cleaning 140
closing 60
luggage separator 60
manual closing 64
manual re-set 62
opening 59
preparation for winter 143
Coolant
checking the level 148
specification 148
top up 148
Cruise control
ACC (Adaptive cruise control) 85
low speed switch-off 87
malfunction 88
operating 85
override 87
resume follow mode 87
resume set speed 87
automatic switch off 84
change speed 83
follow mode 86
operating 83
resume 83
setting vehicle speed 83

D

DAB radio
controls 96
ensembles 98
reception 97
Daily checks 138
Data recording 176
Daylight running lamps 31
Declarations of conformity 180
Deselecting valet mode 53
Destination entry 117
map 120
motorway 121
navigation search area 115
postcode 120
previous 121
route preferences 117
Detection beam issues 88
Dialling a number 110
Differential control 75
Dimensions 154
Direction indicators 30
warning lamp 45
Disability modifications 138
Door transceiver
entry gate 42
garage door opener 40
programming 40
programming a single button 41
rolling code device programming 41
Double locking 9

Drive away locking 7
Drive control
operation 76
Driver controls 202
Driver information module
information messages 47
trip computer 48
warning lamps 43
warning messages 47
Driving
ACC (Adaptive cruise control) 85, 87
override 87
adaptive cruise control
automatic switch off 87
arduous conditions 139
ASL (Automatic speed limiter) 90
setting 90
before starting 176
controls 202
cruise control
automatic switch off 84
change speed 83
set speed 83
daily checks 138
DSC warning lamp
active 44
off 44
dynamic mode 74
EBA (Emergency brake assist) 77
EBD (Electronic brake force distribution) 77
forward alert 89
mirror dip when reversing 39
sitting correctly 14
wipers
rain sensor 34
DSC (Dynamic stability control)
switching between DSC and tracDSC . . . 74
switching off 74
switching on 75
warning lamp
active 44
off 44
warning lamps 75
Dynamic mode 74

E

EBA (Emergency brake assist) 77
EBD (Electronic brake force distribution) . 77
Electric seats
front 12
Electronic brake force distribution (EBD) . 77
Electronic data 176
Electronic parking brake (EPB) 78
Engine
compartment
cleaning 141
fuse box 168
opening 144
overview 145
coolant level checking 148
engine compartment 145
engine malfunction warning lamp 44
failure to start 69
malfunction warning lamp 44
number 178
oil consumption 147
oil level check 146
oil level consumption 147
oil specification 147
specifications 152
starting 70
starting the engine 68
switching off 68
Ensembles (DAB radio) 98
Entering a postcode
navigation system 120
Entering the vehicle
entry and exit mode 16
keyless entry 6
Entertainment
CD
controls 102
DAB radio
controls 96

portable media
connecting devices 99
connecting multiple devices. 101
connections 99
controls 100
radio
controls 94
RDS (Radio data system). 95
touch screen 142
display icons 51
home menu 50
operating 51
system settings 52
touch screen care 51
Entry and exit mode. 16
EPB (Electric parking brake) 78
Ethanol 134
Event data recording 176
Exiting the vehicle
door locks and release levers. 9
global closing 10
keyless locking 10
Exterior cleaning 140
Exterior mirrors 38
External temperature display 56
Extinguisher 140

F

Faulty alarm sensors 11
Filler flap 135
Fire extiguisher 140
First aid kit. 140
Flat spots. 165
Fluids
brake
check 148
specification. 150
top up 150
capacities. 155
coolant
specification. 148
top up 148
engine oil
check. 146
specification 147
fuel tank capacity 136
power steering
check. 150
specification 151
specifications 152
washer
specification 151
top up 151
Fog lamps
warning lamp 44
Follow mode
entering. 86
gap change 86
override. 87
resume 87
suspending 90
Forward alert. 89
Front parking aid
operation. 81
system fault 82
Front towing eye 175
Fuel and refuelling
consumption. 137
extra-urban cycle. 137
urban cycle 137
ethanol 134
filler flap 135
fuel consumption
urban cycle 137
fuel specification. 136
fuel system 139
methanol. 134
MTBE (Methyl tertiary butyl ether) . . . 135
octane rating. 134
running out 135
safety precautions. 134
tank capacity 136
Fuses
changing 168
engine compartment fuse box. 168

locations 167
luggage compartment fuse box 170
Passenger compartment fuse box 169

G

Garage door opener 40
entry gate 42
erase all programming 41
programming 40
a single button 41
rolling code device 41
Gear selector 72
malfunction 72
Gearbox
automatic 71
identification number 178
limp home mode 72
operation 76
selector 72
selector malfunction 72
temporary manual selection 72
winter mode 74
Glass cleaning 141
Global closing 10
Global opening 7

H

Handbrake 78
Handling
adaptive dynamics 75
DSC warning lamp
active 44
off 44
dynamic mode 74
EBD (Electronic brake force distribution) 77
Head restraints 15
active 26
Headlamps
adaptive 31
AFS (Adaptive front lighting system) . . . 31
approach lamps 31
condensation 31
controls 30
daylight running lamps 31
high beam warning lamp 45
warning lamp (AFS) 45
washers 35
wiper detection 31
Heated screens 55
Heated seats 56
Heated steering wheel 16
Heating and ventilation
auto 55
recirculation 55
High beam
warning lamp 45
Homelink 40
programming a single button 41
rolling code device programming 41

I

Identifying the vehicle
transmission number 178
Ignition
rolling re-start 70
switching off while moving 70
switching on 68
Indicators 30
warning lamp 45
Information messages 47
Infotainment
CD
controls 102
DAB radio
controls 96
navigation
coordinates 120
POI (Points of interest) 118, 120
restore defaults 118
portable media
connecting devices 99
connecting multiple devices 101
connections 99
controls 100

radio
controls 94
RDS (Radio data system). 95
telephone
last 10 110
pairing 106
phonebook. 110
touch screen 142
display icons 51
home menu 50
operating 51
system settings 52
touch screen care 51
Instrument pack 142
Instrument panel
information messages 47
lamp test 43
trip computer. 48
warning lamps. 43
side lights 45
warning messages. 47
Interior cleaning 141, 142
carpets and mats 142
Interval indicator 49
ISOFIX anchor points 23
ISOFIX seats
installing 23

J

Jaguar Dealers
navigation system 121
Jaguardrive control
operation 76
Jump starting
connecting jump leads. 159
disconnecting jump leads 160

K

Keyless entry 6
Keyless locking 10
Keys
single locking. 9

L

Label locations 178
Lamp test 43
Lamps
condensation. 31
controls. 30
wiper detection 31
Leather cleaning 141
Licensing
telephone system 111
Lights
condensation. 31
controls. 30
Limp home mode 72
Loading the map DVD. 112
Locking
alarm sensor faults 11
automatic relocking. 11
confirmation 9
door locks and release levers 9
double locking. 9
drive away 7
global closing 10
keyless 10
mislock 9
Locking and unlocking
alarm
perimeter. 10
sensor faults 11
passive arming 11
single locking 9
unlocking 4
Locking column 7
Lubricants
specifications 152
Luggage compartment
closing 57
fuse box 170
opening. 57
Luggage separator 60

M

Main menu
navigation 113
structure 114
Maintenance
blocked washer jets 139
boost starting
connecting jump leads 159
disconnecting jump leads 160
brake fluid check 148
capacities 155
changing a fuse 168
checking the tyre pressures 164
checking the tyre pressures after a repair 132
cleaning
polishing 141
removing grease and tar 141
removing stains 142
cleaning alloy wheels 140
cleaning glass 141
cleaning parking sensors 82
cleaning rear screen 141
closing the bonnet 144
convertible roof 140
coolant level checking 148
daily checks 138
engine compartment 145
exterior cleaning 140
fuse box (luggage compartment) 170
interior cleaning 141, 142
jump starting 159, 160
label locations 178
leather cleaning 141
lubricants and fliud specifications 152
paintwork repair 140
preparation for winter 143
smart key battery changing 8
weekly checks 138
Manual closing
convertible roof 64
Media
portable media
connections 99
Memory points
adding 119
navigation system 122
Memory seats
recalling a position 14
Message centre
trip computer 48
change display 48
range 48
Methanol 134
Minor paintwork damage repair 140
Mirrors
dip when reversing 39
Mirrors and windows
BSM (Blind spot monitor)
detection beam issues 88
exterior mirrors 38
Modifications for disabilities 138
Monitoring system (battery) 159
Motorway entry/exit 119
MP3 104
mpg 137
MTBE (Methyl tertiary butyl ether) 135

N

Navigation
cancel guidance 118
declaration of conformity 128
destination entry 117
coordinates 120
map 120
motorway 121
postcode 120
previous destinations 121
route preferences 117
search area 115
start guidance 117
end user agreement 127
keyboard layout 115

language selection 115
licenses 127
loading the DVD 112
main menu 113
main menu structure 114
map text size 115
measurement units 115
memory points 122
  add 119
overview 112
POI (Points of interest) 120
  quick POI selection 118
points of interest (POI)
  categories 121
  entry by category 121
  entry by town 121
  Jaguar Dealers 121
  list button 122
  search area 122
RDS-TMC 122
  alternative routes 123
  avoiding traffic events 123
  dynamic navigation 123
  on route events 124
RDS-TMC display 122
restore defaults 118
screen mode 116
screen modes 117
setting avoid points 119
settings
  calibration 118
setup 113
stored locations 119
  home 119
TMC
  all traffic events 124
  display 122
  event icons 123
  surveillance points 125
  traffic on route 123
  using TMC 123
user settings 115
vehicle position/direction 118

O

Occupant safety
  child seats
    tether straps 24
  seatbelts 143
    seatbelt safety 17
    warning lamp 19, 43
Octane rating 134
Oil
  engine
    consumption 147
    level check 146
  engine oil specification 147
  used engine oil 139
One-touch operation (windows) 36
Opening
  alarm sensor faults 11
  bonnet 144
  luggage compartment 57
Opening convertible roof 59
Overriding speed and follow mode
  (cruise) 87

P

Paddle shift
  temporary manual selection 72
Paintwork
  cleaning 141
  repair 140
Parking aid 81
  rear view camera 82
  sensor cleaning 82
  system fault 82
Parking brake 78
Passenger compartment fuse box 169
Passive arming 11
Pedestrian protection system 176
  after deployment 176
Perimeter alarm 10

Phone
bluetooth 105
call volume 110
changing connected phone 106
compatibility 105
dialling 110
icons 107
last 10 110
licensing 111
overview 108
pairing using mobile phone 106
pairing using touch screen 106
phonebook 110
safety 105
settings menu 109
POI (Points of interest) 120
navigation system 118
Points of interest (POI)
categories and sub-categories 121
entry by category 121
entry by town 121
Jaguar Dealerships 121
list 122
search area 122
Portable media
connecting devices 99
connecting multiple devices 101
connections 99
controls 100
Positioning child restraints 22
Power steering
fluid
check 150
specification 151
Preparation for winter 143
Pressure
checking 164
Pressures
checking
after a repair 132
tyres 162
winter tyres 165
Previous destinations
navigation system 121
Programming
garage door opener 40
erase all 41
Puncture repair kit 129
instructions for use 131
repair procedure 131
safety 129
Punctured tyres 164

R

Radio
controls 94
DAB ensembles 98
DAB reception 97
RDS (Radio data system) 95
Rain sensor 34
RDS (Radio data system) 95
RDS-TMC
all traffic events 124
navigation system 122
surveillance points 125
traffic event icons 123
traffic on route 123
Rear screen cleaning 141
Rear towing eye 175
Recalling seat memory position 14
Reception (DAB) 97
Recirculation 55
Recovery
towing eyes 175
transporting 175
Refuelling 135
octane rating 134
running out of fuel 135
safety precautions 134
Remote control
battery changing 8
care 7
system transmitters 157
Repairing paintwork damage 140

Replacement tyres 164
Resetting the windows 140
Restarting the engine whilst moving 70
Restore default settings (navigation system) 118
Restraints (child) 20, 21
positioning 22
Resume speed and follow mode (ACC) . . . 87
Resuming set speed (ASL) 90
Resuming set speed (cruise) 83
Reverse parking aid
operation 81
rear view camera 82
system fault 82
Rolling re-start 70
Rollover bars 29, 176
Rollover protection device (RPD) . . . 29, 176
Running out of fuel 135

S

Safety
fuel and refuelling 134
in the garage 139
seatbelts 17, 143
warning lamp 19, 43
sitting correctly 14
tyre care 162
used engine oil 139
using the telephone 105
warning triangle 140
Satellite navigation
overview 112
Screen modes (navigation system) 117
Screens (heated) 55
Seatbelts 143
beltminder 19
beltminder warning lamp 43
checks 17
safety 17
warning lamp 19, 43
Seats
child seats
tether straps 24
climate 56
electric
front 12
head restraints 15
heated 56
memory
recalling a position 14
seatbelts 143
safety 17
warning lamp 19, 43
Security 10
alarm 138
passive arming 11
perimeter 10
tilt sensor 11
automatic relocking and arming 11
battery backed sounder 10
deactivating the alarm 11
lock confirmation 9
sensor faults 11
steering column lock 7
Selecting valet mode 52
Selector fails to elevate 72
Sensors
security sensor faults 11
Service information
airbags 29
Service interval indicator 49
Servicing
interval indicator 49
Setting a destination (navigation) 117
Setting avoid points
navigation system 119
Setting cruise speed 83
Settings
navigation language 115
phone 109
vehicle 51
Setup
navigation system 113

Side lights
warning lamp 45
Silencing the alarm 11
Sitting correctly 14
Smart key
battery changing 8
care 7
single locking 9
transmitters 157
Snow chains 166
Specifications
brake pedal travel 156
dimensions 154
engine 152
engine number 178
engine oil 147
ethanol 134
fluids 152
washer 151
fuel 136
fuel tank capacity 136
label locations 178
lubricants 152
methanol 134
weights 153
wheel alignment 156
Speed limiter
setting 90
Speed-dependent wipers 34
SRS
Airbags 138
SRS (Supplementary restraint system)
airbag covers 143
airbag warning lamp 29, 45
child seat check list 21
child seat positioning 22
child seats 20
ISOFIX Anchor points 23
seatbelts (beltminder) 19
seatbelts (beltminder) warning lamp . . . 43
Stability control
switching between DSC and tracDSC . . . 74
switching off 74
switching on 75
tracDSC 74
switching between tracDSC and DSC 74
warning lamps 75
Starting
preparation 176
Starting navigation guidance 117
Starting the engine 68, 70
Steering column lock 7
Steering wheel
adjusting 16
column lock 7
controls
set cruise speed 83
heated 16
Stopping navigation guidance 118
Storage compartments 67
cup holders 67
front cubby box 67
glove box 67
rear armrest 67
Stored locations
avoid points 119
home 119
navigation system 119
store a memory point 119
Suspending ASL (Automatic speed
limiter) 90
Switching off the engine 68
Switching off the ignition while moving . . 70
Switching on the engine 68
Switching on the ignition 68

T

Technical specifications
weights 153
wheel alignment 156
Telephone
bluetooth 105
call volume 110
changing the connected telephone . . . 106
compatibility 105

dialling 110
icons 107
last 10 110
overview 108
pairing 106
phonebook 110
safety 105
settings 109
Temperature (external) 56
Temporary use spare wheel 174
Tilt sensor 11
Timed jet function 35
Touch screen 142
CD
controls 102
display icons 51
home menu 50
navigation
POI (Points of interest) 120
operating 51
portable media
connecting devices 99
connecting multiple devices 101
connections 99
controls 100
system settings 52
telephone
last 10 110
pairing 106
phonebook 110
touch screen care 51
valet mode 52
vehicle settings 51, 52
Towing eyes 175
TPMS (Tyre pressure monitoring system) 79
tyre care 162
valves 164
warning lamp 45
tracDSC 74
warning lamps 75
Traction control
switching between DSC and tracDSC . . 74
switching off 74
switching on 75
tracDSC 74
switching between tracDSC and DSC 74
warning lamps 75
Traffic Master Channel (TMC) 122
Transmission
gear selector 72
identification number 178
limp home mode 72
operation 76
selector fails to elevate 72
temporary manual selection 72
winter mode 74
Transmission (automatic) 71
Transmitters
smart key 157
Transporting the vehicle 175
Trim
airbag covers (cleaning) 143
Trip computer 48
change display 48
range 48
Turning on the engine 68
Tyre pressure checking 164
Tyre pressure checking after repair 132
Tyre repair kit
repair procedure 131
Tyres
age degradation 165
changing 79
flat spots 165
pressures 162, 163
winter tyres 165
punctured 164
repair kit 129, 131
repair procedure 131
safety 129
replacements 164
snow chains 166
temporary use spare 79

TPMS (Tyre pressure monitoring system) 79
warning lamp 45
tyre care 162
valves 164
winter 165

U

Underbonnet cleaning 141
Unlocking 4, 9
alarm sensor faults 11
entry and exit mode 16
global opening 7
keyless entry 6
passive arming 11
Urban cycle 137
Used engine oil 139
User settings
navigation 115
Using cruise control 83

V

Valet mode 52
deselecting 53
Vehicle alarm 138
Vehicle battery care 158
Vehicle cleaning
alloy wheels 140
carpets and mats 142
exterior 140
interior 141, 142
parking sensors 82
rear screen 141
Vehicle data recording 176
Vehicle handling 75
Vehicle identification
transmission number 178
Vehicle position/direction
navigation system 118
Vehicle recovery
attaching the front tow eye 175
towing eyes 175
transporting the vehicle 175
Vehicle settings 51
valet mode 52
VIN number 178
Volume
telephone 110

W

Warning lamps 43
ABS 44
ACC 44
adaptive cruise control 44
adaptive front lighting system 45
AFS 45
airbags 29, 45
ASL (Automatic speed limiter) 45
audible warnings and indicators 46
beltminder 43
brake 43, 77
DSC 44
engine malfunction 44
fog lamps 44
headlamp high beam 45
indicators 45
lamp test 43
parking brake 77
seatbelt 19, 43
side lights 45
stability control 75
TPMS (Tyre pressure monitoring system) 45
Warning messages 47
Warning symbols (battery) 158
Warning triangle 140
Washer jets
blockages 139
Washers
operating 34
timed jet function 35
windscreen 35
Washers (headlamps) 35

Washing
exterior
paintwork 141
removing tar 141
interior
removing stains 142
polishing 141
removing grease 141
under the bonnet 141
Weekly checks 138
Weights 153
Wheels and tyres
accessory wheels and tyres 156
age degradation 165
changing a tyre 79
checking the pressures 164
checking the pressures after a repair . . 132
flat spots 165
pressures 162
puncture repair 129
safety 129
punctured 164
repair kit 129, 131
repair procedure 131
safety 129
replacements 164
snow chains 166
temporary use spare 79
TPMS (Tyre pressure monitoring
system) 79
warning lamp 45
tyre care 162
tyre label 178
valves 164
wheel alignment 156
winter tyres 165
Windows 36
anti-trap protection 37
one-touch operation 36
reset 140
Windscreen wipers
speed-dependent mode 34
Windscreens (heated) 55
Winter mode 74
Winter tyres 165
pressures 165
Wipers
drip wipe 35
operating 34
Wipers and washers
fluid
specification 151
top up 151
operating 34
rain sensor 34
timed jet function 35
windscreen washers 35
wipers
speed-dependent mode 34

X

Xenon headlamps
wiper detection 31