

KONFORMITÄTSERKLÄRUNGEN

SIEMENS VDO
A u t o m o t i v e

SiemensVDO Automotive AG, P.O. Box 10 09 43, D-93009 Regensburg

Name
SV C TS R60 EMC-Laboratory
Tel.
+49(0)941790-6699
Fax
+49(0)941790-6699
E-Mail
diagmar.solar@siemens.com
Internet
www.siemensvdo.de
Our Ref.
Doc. SWK49096.dbc
Date
03/08/2005

Name
Diagmar Kolar
Department
SV C TS R60 EMC Laboratory
Tel.
+49(0)941790-6699
Fax
diagmar.solar@siemens.com
E-Mail
www.siemensvdo.de
Internet
Doc. SWK49096.dbc
Our Ref.
03/11/2005

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Manufacturer:
Siemens VDO Automotive AG
Body & Chassis Electronics

Address:
Dep. SV C BC P2 RF TG
Semenstrasse 12
D-93049 Regensburg
Germany

Product type designation:
5WK4 3096

Intended use:
Radio frequency receiver used in vehicle locking/unlocking systems
The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose.

Health and safety pursuant to §3.1. a:
Applied standard(s):
EN 60950:2000

Electromagnetic compatibility pursuant to § 3.1.b:
Applied standard(s):
EN 301 489-1,-3; V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2:
Applied standard(s):
EN 300 220-1; V1.3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG
Regensburg, 2005-08-03

Jacob
Jean-François Tarabba
Executive Vice President
Body and Chassis Electronics Operations
Wireless Products and Modules

SiemensVDO Automotive AG
Body & Chassis Electronics
Postal Address:
SiemensVDO Automotive AG
Semenstrasse 12
D-93049 Regensburg
P.O. Box 10 09 43
Tel. +49(0)941790-6699
D-93009 Regensburg
Klaus Müller

SiemensVDO Automotive AG, Chairman of the Supervisory Board: Edward G. Kulkarni, Managing Board: Frank Weisbach, Chairman: Alessandro Nussli, Egon, Günter Hagemann, Jürgen Lohrer, Registered Office: München, Commercial Registry: München, HRB 15267

Page 1 of 1

SIEMENS VDO
A u t o m o t i v e

SiemensVDO Automotive AG, P.O. Box 10 09 43, D-93009 Regensburg

Name
SV C TS R60 EMC-Laboratory
Tel.
+49(0)941790-6699
Fax
+49(0)941790-6699
E-Mail
diagmar.solar@siemens.com
Internet
www.siemensvdo.de
Our Ref.
Doc. SWK49096.dbc
Date
03/08/2005

Name
Diagmar Kolar
Department
SV C TS R60 EMC Laboratory
Tel.
+49(0)941790-6699
Fax
diagmar.solar@siemens.com
E-Mail
www.siemensvdo.de
Internet
Doc. SWK49096.dbc
Our Ref.
03/11/2005

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TTE Directive)

Manufacturer:
Siemens VDO Automotive AG
Body & Chassis Electronics

Address:
Semenstrasse 12
D-93055 Regensburg
Germany

Product type designation:
S122780002

Intended use:
Radio frequency transmitter used Tire Pressure Monitoring system
The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose.

Health and safety pursuant to §3.1. a:
Applied standard(s):
EN 60950:2000

Electromagnetic compatibility pursuant to § 3.1.b:
Applied standard(s):
EN 301 489-1,-3; V1.4.1 (2002-08)

Efficient use of spectrum pursuant to § 3.2:
Applied standard(s):
EN 300 220-1; V1.3.1 (2000-09)

The following marking applies to the above mentioned product:



Siemens VDO Automotive AG
Regensburg, 2005-11-09

Jacob
Jean-François Tarabba
Executive Vice President
Body and Chassis Electronics Operations
Wireless Products and Modules

SiemensVDO Automotive AG
Body & Chassis Electronics
Postal Address:
SiemensVDO Automotive AG
Semenstrasse 12
D-93049 Regensburg
P.O. Box 10 09 43
Tel. +49(0)941790-6699
D-93009 Regensburg
Klaus Müller

SiemensVDO Automotive AG, Chairman of the Supervisory Board: Edward G. Kulkarni, Managing Board: Frank Weisbach, Chairman: Alessandro Nussli, Egon, Günter Hagemann, Jürgen Lohrer, Registered Office: München, Commercial Registry: München, HRB 15267

Page 1 of 1

Lear Corporation
Electronics Systems Division
21557 Telegraph Road
Farmersville, MI 49031-2488
USA
Phone (248) 447-1500



Date: February 6, 2009

INFORMATION TO BE INCLUDED IN THE END USER'S MANUAL

The following information must be included in the end product user's manual to ensure continued FCC and Industry Canada regulatory compliance. The ID numbers must be included in the manual if the device label is not readily accessible to the end user. The compliance paragraphs below must be included in the user's manual.

The following user's manual statements are provided by Lear Corporation to Jaguar Land Rover electronically after certification.

Key facts

Land Rover, Range Rover,
FCC ID: KOBJTF10A (Range Rover, Land Rover)
FCC ID: KOBJTF10B (Jaguar)
IC: 3521-A-JTF10A (Range Rover, Land Rover)
IC: 3521-A-JTF10B (Jaguar)
Model #: AH22-19H440 (Range Rover)
Model #: AH22-15K601A (Land Rover)
Model #: AW63-15K601A (Jaguar)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.



Lear Corporation
Electronics Systems Division
21557 Telegraph Road
Farmersville, MI 49031-2488
USA
Phone (248) 447-1500

RKE Receiver

Land Rover, Range Rover, Jaguar

FCC ID: KOBJLR09A

IC: 3521-JLR09A

Model #: AH42-15K602-A

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.

Passive Entry / Passive Start Module

Land Rover, Range Rover, Jaguar

FCC ID: KOBJBG10A

IC: 3521-JBG10A

Model #: AH22-19H440 (PEPS)

Model #: AH42-19H440 (Passive Start ONLY)

FCC ID: KOBJBG10B

IC: 3521-JBG10B

Model #: AH22-19H440 (PEPS)

Model #: AH42-19H440 (Passive Start ONLY)

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

WARNING: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The term "IC:" before the radio certification number only signifies that Industry Canada technical specifications were met.

E132682

EC Declaration of Conformity

EC Directive: 1999/5/EC

Manufacturer: Lear Corporation

Type Designation / FCC ID: KOBJBG108

Model Numbers: SE0770257, 5E0770357, 19H440, AH22-19H440, AH42-19H440, AH22-19H440-AD, AH42-19H440-AE

Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator

Trademarks: Land Rover / Range Rover / Jaguar

Applied Standards: European Commission Directive 2006/28/EC
ETSI EN 60950
ETSI EN 300 330
CEPT/ERC/REC 70-03
ASINZS 4288
FCC Regulations 47 CFR Part 15

Responsible Person: Kevin Cotton
Lear Corporation
21557 Telegraph Road
Southfield, Michigan 48033
United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of **Directive 1999/5/EC**, on the approximation of the laws of the member states relating to **Directive 1999/5/EC**.

Signed: 
Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC

Manufacturer: Lear Corporation

Type Designation / FCC ID: KOBJBG10A

Model Numbers: SE0770237, 5E0770337, 19H440, AH22-19H440-AC, AH42-19H440-AD, AH22-19H440, AH42-19H440

Description / Intended Use: Remote Function Actuator (RFA), passive keyless entry and start system low frequency initiator

Trademarks: Land Rover / Range Rover / Jaguar

Applied Standards: European Commission Directive 2006/28/EC
ETSI EN 60950
ETSI EN 300 330
CEPT/ERC/REC 70-03
ASINZS 4288
FCC Regulations 47 CFR Part 15

Responsible Person: Kevin Cotton
Lear Corporation
21557 Telegraph Road
Southfield, Michigan 48033
United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of **Directive 1999/5/EC**, on the approximation of the laws of the member states relating to **Directive 1999/5/EC**.

Signed: 
Kevin Cotton, Lear Corporation

Date: 27 March 2009

E132683

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation: 9E0780127
 Model Numbers: 9E0780127, 15K602, AH42-15K602-B, AH42-15K602-BC
 Description / Intended Use: RF Receiver (RFR), used in passive entry and passive start, remote keyless entry, and tire pressure monitoring systems
 Trademarks: Land Rover / Range Rover / Jaguar
 Applied Standards: European Commission Directive 2006/28/EC
 ETSI EN 60950
 ETSI EN 300 220
 CEPT/ERC/REC 70-03
 ASINZS 4268
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of **Directive 1999/5/EC**, on the approximation of the laws of the member states relating to **Directive 1999/5/EC**.

Signed: *Kevin Cotton*
 Kevin Cotton, Lear Corporation

Date: 27 March 2009

EC Declaration of Conformity

EC Directive: 1999/5/EC
 Manufacturer: Lear Corporation
 Type Designation: 15K601
 Model Numbers: 5E0850127, 5E0850127, 15K601-BB, AH42-15K601B, AH42-15K601B, AH42-15K601-BC, AH42-15K601-BC
 Description / Intended Use: Passive Key (PK) / Customer Identification Device (CID), passive keyless entry system keyjob
 Trademarks: Land Rover / Range Rover
 Applied Standards: CEPT/ERC/REC 70-03
 ETSI EN 60950
 ETSI EN 300 220
 ETSI EN 301 439
 IEC EN 60968
 ASINZS 4268
 Responsible Person: Kevin Cotton
 Lear Corporation
 21557 Telegraph Road
 Southfield, Michigan 48033
 United States of America

Hereby, **Lear Corporation** declares that the product referenced above is in compliance with the essential requirements of **Directive 1999/5/EC**, on the approximation of the laws of the member states relating to **Directive 1999/5/EC**.

Signed: *Kevin Cotton*
 Kevin Cotton, Lear Corporation

Date: 26 March 2009

快特電波股份有限公司

低功率射頻電機型式認證證明

一、申請者：
Lear Corporation

二、製造廠商：
Lear Corporation

三、器材名稱：
Range Rover F08

四、廠牌/型號：
Range Rover / 5E0B60227

五、發射功率（電場強度）：
315MHz / 84.195dBuV/m(Peak)

六、工作頻率：
315MHz

7、發證日期：
98 年 06 月 02 日

八、審驗合格標識式樣：


說明：

1. 請依下列標識式樣自製標識，標貼或印鑄於器材本體明顯處，始得販售或公開陳列。

2. 標識式樣應包含發射功率射頻電機、其型號、設計、射頻性能如有變更，應重新申請型式認證。

3. 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，檢控機關(構)並得廢止其型式認證證明或型式認證標識。

4. 違章廠商應保留違章產品自日後起封。

5. 本型式認證證明及其合格標識使用權專屬取得件本證明者。本證明持有入檢附同意書被請國審議標準委員會備查後，得授權他人於可辨識同型號之器材，使用其合格標識。

備註：

1、本器材符合低功率射頻電機技術規範 LP0002.3.4.2 節之規定。

2、本廠認證機構係經國家通訊傳播委員會委託，核發本型式認證證明。

3、本器材所使用固定式天線廠牌/型號如下：
Lear Corporation / N/A

快特電波股份有限公司

低功率射頻電機型式認證證明

一、申請者：
Lear Corporation

二、製造廠商：
Lear Corporation

三、器材名稱：
RFA (Passive Start)

四、廠牌/型號：
LEAR / 5E0770337

五、發射功率（電場強度）：
125KHz / 61.5dBuV/m(Average)

六、工作頻率：
125KHz

7、發證日期：
98 年 06 月 02 日

八、審驗合格標識式樣：


說明：

1. 請依下列標識式樣自製標識，標貼或印鑄於器材本體明顯處，始得販售或公開陳列。

2. 標識式樣應包含發射功率射頻電機、其型號、設計、射頻性能如有變更，應重新申請型式認證。

3. 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，檢控機關(構)並得廢止其型式認證證明或型式認證標識。

4. 違章廠商應保留違章產品自日後起封。

5. 本型式認證證明及其合格標識使用權專屬取得件本證明者。本證明持有入檢附同意書被請國審議標準委員會備查後，得授權他人於可辨識同型號之器材，使用其合格標識。

備註：

1、本器材符合低功率射頻電機技術規範 LP0002.2.8 節之規定。

2、本廠認證機構係經國家通訊傳播委員會委託，核發本型式認證證明。

3、本器材所使用固定式天線廠牌/型號如下：
Lear Corporation / N/A

QuietTek **快特電波股份有限公司**
低功率射頻電機型式認證證明

一、申請者：Lear Corporation
二、製造廠商：Lear Corporation
三、器材名稱：RFA (Passive Start & Start Module)
四、廠牌/型號：LEAR / 5E0770237
五、發射功率 (電場強度)：125KHz; 63.3dBuV/m(Average)
125KHz
六、工作頻率：

七、發證日期：98 年 06 月 02 日
八、審驗合格標籤式樣：

說明：

- 請紙上列標籤式樣自製標籤，標貼或印於器材本體明顯處，始得販賣或公開陳列。
- 經型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，無線電機關(構)並得停止其型式認證證明或型式認證標籤。
- 違章廠商應保留違章產品外日後查對。
- 本型式認證證明及其合格標籤使用權專屬取得本證明者，本證明持有人缺何同意書報請國家通訊傳播委員會備查後，得授權他人於可能牌同型號之器材，使用其合格標籤。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002.2.8節之規定。
- 本廠設廠係經國家通訊傳播委員會登記，核發本型式認證證明。
- 本器材所使用固定式無線電頻型號如下：
Lear Corporation / N/A

QuietTek **快特電波股份有限公司**
低功率射頻電機型式認證證明

一、申請者：Lear Corporation
二、製造廠商：Lear Corporation
三、器材名稱：Range Rover / 5E0B50227
四、廠牌/型號：Range Rover / 5E0B50227
五、發射功率 (電場強度)：315MHz; 84.195dBuV/m(Peak)
315MHz
六、工作頻率：

七、發證日期：98 年 06 月 02 日
八、審驗合格標籤式樣：

說明：

- 請紙上列標籤式樣自製標籤，標貼或印於器材本體明顯處，始得販賣或公開陳列。
- 經型式認證合格之低功率射頻電機，其型號、設計、射頻性能如有變更，應重新申請型式認證。
- 違反低功率電波輻射性電機管理辦法之規定，擅自使用或變更無線電頻率、電功率者，除依電信法規定處罰外，無線電機關(構)並得停止其型式認證證明或型式認證標籤。
- 違章廠商應保留違章產品外日後查對。
- 本型式認證證明及其合格標籤使用權專屬取得本證明者，本證明持有人缺何同意書報請國家通訊傳播委員會備查後，得授權他人於可能牌同型號之器材，使用其合格標籤。

備註：

- 本器材符合低功率射頻電機技術規範 LP0002.3.4.2節之規定。
- 本廠設廠係經國家通訊傳播委員會登記，核發本型式認證證明。
- 本器材所使用固定式無線電頻型號如下：
Lear Corporation / N/A



Continental Automotive GmbH – Postfach 100 300 – 93028 Regensburg

Kolar Dagmar
 KOLAR D-93028
 Tel. +49 (941) 750-6599
 Fax +49 (941) 750-35699
 dagmar.kolar@continental-corporation.com

Date	Your message dated	Our Reference	Your reference
July 29, 2008			

Declaration of Conformity in accordance with Directive 1999/5/EC (R&TE Directive)

Manufacturer: Continental Automotive GmbH
 Address: Siemensstrasse 12
 D-93025 Regensburg
 Germany
 Product type designation: S180 052 020 A
 Intended use: Tire Pressure System

The product mentioned above complies with the essential requirements and other relevant provisions of Directive 1999/5/EC, when used for its intended purpose:

Health and safety pursuant to § 3.1. a:
 Applied standard(s):
 EN 60950-1: 2006

Electromagnetic compatibility pursuant to § 3.1. b:
 Applied standard(s):
 EN 301 489 -1; V1 & 1 (2005-09)
 EN 301 489 -3; V1 & 1 (2002-08)

Efficient use of spectrum pursuant to § 3.2:
 Applied standard(s):
 EN 300 220 -1; V2.1.1 (2006-04)
 EN 300 220 -2; V2.1.1 (2006-04)

The following marking applies to the above mentioned product:



Continental Automotive GmbH

Regensburg, 2008-07-29

ben
 Andreas Wolf
 Executive Vice President
 Body & Security

poli
 Norbert Müller
 Director Product Group 3
 Body & Security

Continental Automotive GmbH
 93025 Regensburg
 93028 Regensburg

Phone +49 (941) 750-0
 Fax +49 (941) 750-35699
 www.continental-corporation.com

Registration Office:
 Regional Court
 Regensburg
 HRB 16124

General Manager:
 Norbert Müller
 Head of Division



Label to be used on the following products only:

- citizen band radio equipment
- cellular equipment
- trunk radio equipment
- spread spectrum devices
- leased channel radio equipment
- cordless telephone
- wireless security devices
- wireless microphone
- radio-control equipment
- medical & biology telemetry equipment

ALPINE ELECTRONICS, INC.
20-1 Yoshima-Kogyodanchi, Iwaki-shi
Fukushima 970-1192 Japan
Phone: (+81) 248-26-4111 Fax: (+81) 248-26-6660



DECLARATION of CONFORMITY For



Product: Bluetooth Module
Model: IANZ1.B1.FWB.EU3

Technical Construction File held by
ALPINE Electronics, Inc.
20-1 Yoshima-Kogyodanchi, Iwaki-shi
Fukushima 970-1192 Japan

Supplied by
ALPINE Electronics, Inc.
20-1 Yoshima-Kogyodanchi, Iwaki-shi
Fukushima 970-1192 Japan

Notified Body - R&TTE Directive N/A

Standard used for comply
EN60955:2002+Am1.2:2006+Am2:2010
EN301-489-1 V1.8.1:2008-04
EN301-489-17 V2.1.1:2009-05
EN300 328 V1.7.1:2006-10

Means of Conformity

We declare under our sole responsibility that the Product (s) is conformity with the essential requirements and other relevant requirements of the Radio and Telecommunication Terminal Equipment (R&TTE) Directive (1999/5/EC).

Date of issue: 08 July 2011

Signature of Responsible Person:

I Sawagata Takuya

Isamu Takaku
Global Engineering Strategy Office