

TYRE DEGRADATION

Tyres degrade over time due to the effects of ultraviolet light, extreme temperatures, high loads, and environmental conditions. It is recommended that tyres are replaced at least every six years, but they may require replacement more frequently.

USING WINTER TYRES

In many countries legislation exists that requires the use of winter tyres during specified periods of the year.

Note: *M+S (mud and snow) tyres have a recognised level of winter performance and need not be replaced.*



Note: *A dedicated winter tyre often has a lower speed rating than the original equipment tyre, and the vehicle must therefore be driven within the speed limitation of the tyre. Consult your Jaguar dealer for further information. In markets that require a tyre's maximum speed label to be fitted, the tyre's maximum speed label should be placed within the driver's field of vision. This can be obtained from the tyre dealer.*



This symbol identifies dedicated winter tyres, which can be fitted if optimum winter traction is required, or the vehicle is to be used in more extreme winter conditions.

Winter tyres must be fitted to all 4 wheels.

For optimum traction, tyres should be run in for at least 160 kilometres (100 miles) on dry roads prior to driving on snow or ice.

Use of dedicated winter tyres may require a change of wheel size, depending on the original choice of wheel. All 4 wheels must be changed.

Approved winter tyres

Front:

245/45R19 102V Pirelli Sotto Zero Series II.

245/45R20 99V Pirelli Sotto Zero Series II.

245/45R19 102V Dunlop Winter Sport 3D.

245/45R20 99V Dunlop Winter Sport 3D.

Rear:

275/40R19 105V Pirelli Sotto Zero Series II.

275/35R20 102V Pirelli Sotto Zero Series II.

275/40R19 105V Dunlop Winter Sport 3D.

275/35R20 102V Dunlop Winter Sport 3D.

Tyre pressures

Up to 160 km/h (100 mph)	
Front	2.2 bar (32 psi, 220 kPa)
Rear	2.2 bar (32 psi, 220 kPa)

USING SNOW CHAINS



Use traction devices only in heavy snow conditions, on hard road surfaces.



Never exceed 50 km/h (30 mph) when traction devices are fitted.



Never fit traction devices to a temporary use spare wheel.



It is essential that only snow chains of the recommended type are fitted.

Jaguar approved traction devices may be used to improve traction on compacted snow in heavy snow conditions.

If it becomes necessary to fit traction devices, the following points must be observed:

- Only Jaguar approved traction devices should be used on the vehicle. Only Jaguar approved traction devices have been tested to make sure that they do not cause damage to the vehicle. Contact a Jaguar Dealer/Authorised Repairer for information.